



KENYA ELECTRICITY GENERATING COMPANY LIMITED PLC

TENDER No. KGN-OLK-017-2025

TENDER FOR SUPPLY AND INSTALLATION OF GRAVITY FLOW, DOUBLE DEEP AND
SELECTIVE PALLET RACKS FOR OLKARIA IV AND WELLHEADS WAREHOUSE.

(Reserved for Women Enterprises)

6th May,2025.

ADDENDUM No. 2

In accordance with the Tender for Supply and Installation of Gravity Flow, Double Deep and Selective Pallet Racks for Olkaria IV and wellheads warehouse, KenGen hereby issues Addendum No. 2:

SECTION IV – TENDERING FORMS

REVISED PRICE SCHEDULE

ITEM	DESCRIPTION	UNIT	QTY	RATE	AMOUNT
	<u>Selective Pallet Racks</u>				
1	<p>Supply, delivery, and installation of Modular Selective Pallet Racks, meeting the following specifications:</p> <p><u>Upright frames:</u> 3000 mm H × 90 mm D × 60 mm W cold-formed, braced, with welded base plates and M12 floor anchors (4 per frame).</p> <p><u>Beams:</u> 2650 mm L × 120 mm × 50mm step-beams (2 per level) complete with automatic safety locking pins.</p> <p><u>Frame depth:</u> 900 mm clear.</p> <p><u>Load rating:</u> minimum 1250 kg UDL per pallet position (2 pallets per beam = 2500 kg per level, 5000 kg per bay).</p> <p><u>Finish:</u> electrostatic powder-coated to approved RAL color(s) (e.g. uprights RAL 5010 blue, beams RAL 2004 orange) over phosphate-treated steel.</p> <p>Rate to include row spacers, levelling shims, load-capacity signage, all fixings, layout verification, shop drawings, on-site assembly, plumb levelling, torque-testing, final inspection and hand-over in accordance with applicable codes as approved by the Engineer</p>	BAY	34		

	<u>Double-Deep Pallet Racks</u>				
2	<p>Supply, delivery, and installation modular adjustable double-deep pallet-racking system, meeting the following specifications:</p> <p><u>Upright frames:</u> 3000 mm H × 100 mm D × 70 mm W cold-formed, braced, with welded base plates and M12 floor anchors (4 per frame).</p> <p><u>Beams:</u> 2650 mm L × 120 mm × 50mm step-beams (2 per level) complete with automatic safety locking pins</p> <p><u>Frame depth:</u> 1100 mm clear, configured in back-to-back rows to create a nominal 2000 mm overall depth for double-deep storage of standard 1000 mm-deep pallets.</p> <p><u>Load rating:</u> minimum 1250 kg UDL per pallet position (2 pallets per beam = 2500 kg per level, 5000 kg per bay).</p> <p><u>Finish:</u> electrostatic powder-coated to approved RAL color(s) (e.g. uprights RAL 5010 blue, beams RAL 2004 orange) over phosphate-treated steel.</p> <p>Rate to include row spacers, levelling shims, load-capacity signage, all fixings, layout verification, shop drawings, on-site assembly, plumb levelling, torque-testing, final inspection and hand-over in accordance with applicable codes as approved by the Engineer</p>	BAY	39		
	SUB-TOTAL				
	<i>Discount (%) if any</i>				
	<i>Other charges (e.g. Transport, handling)</i>				
	ADD 16% V.A.T				
	TOTAL COST - DELIVERED DUTY PAID OLKARIA				
	Country of Origin				
	Currency of Tender				
	Delivery Period				

2.EXTENSION OF TENDER CLOSING DATE

INITIAL TENDER CLOSING DATE	REVISED TENDER CLOSING DATE
Tender Closing Date: 7th May 2025 at 10.00 a.m.	Tender Closing Date: 14th May 2025 at 10.00 a.m.
Tender Opening Date: 7th May 2025 at 10.30 a.m.	Tender Opening Date: 14th May 2025 at 10.30 a.m.

ACKNOWLEDGEMENT OF ADDENDUM NO.2

We, the undersigned hereby certify that the addendum is an integral part of the document and the alterations set out in the addendum has been incorporated in the tender proposal.

Signed

Tenderer

Rubber Stamp