

KENYA ELECTRICITY GENERATING COMPANY PLC

RFx: 5000016003

KGN-OLK-040-2024

TENDER FOR SUPPLY OF COOLING TOWER FAN BLADES FOR OLKARIA II POWER STATION.

(Citizen Contractors)

Dated: 28th November, 2024

Clarification No.1.

In accordance with the Tender for Supply of Cooling Tower Fan Blades for Olkaria II Power Station, KenGen issues Clarification No.1 as follows:

	BIDDERS CLARIFICATION		KenGen's RESPONSE
1.	a) Could you please confirm if its the hub diameter or Fan diameter?		a) The dimension given (9144mm) is the hub diameter and is provided for the
	Quantity	5 fan blades	purpose of selecting the appropriate
	Model	336HP7-9	blade dimensions.
	Fan Speed (rpm)	136	
	Hub Diameter	9144mm	
	Tip Speed (m/s)	60.77	
	Number of Blades/Hub	5	
	Blade Size	40	
	Blade Material	FRP	
	Hub Series	G	
	Power per fan (Driver output) (kW)	144.8	
	Blade Material	Fibreglass Reinforced Epoxy Laminate	
	Hub Material	HDG plates with epoxy-coated cast iron blade	
	Air Delivery per fan (m³/s)	630.3	
	COFIMCO RE-ORDER DETAILS		
	b) If its hub diameter, kindly provide the fan diameter.		b) The fan diameter is 112mm
	c) may I know the question +1 hub)?	uantity is 1 set (5 blades	c) 5 blades without the hub.

SUPPLIER ACKNOWLEDGEMENT OF CLARIFICATION NO.1

We, the undersigned hereby certify that the Clarification No.1 is an integral part of the document and the alterations set out in Clarification has been incorporated in the Tender Proposal.

igned	•••
enderer	•••
Date	••••